

modbar®



modbar

ESPRESSO SYSTEM AV

The most consistent and stable under-counter espresso equipment available. Crafted and sold in full partnership with La Marzocco.



ESPRESSO SYSTEM AV



The product of years of collaborative R&D between Modbar and La Marzocco, and based on R&D from the Linea PB and Linea Mini, Modbar Espresso AV comes with the same level of reliability, performance and temperature stability that made the Linea PB an industry icon.

SPECIFICATIONS

- Linea PB volumetrics and optional scales
- multi-position lever with four saved programs
- add-a-tap system for two taps per module*
- easy access to water, power and drain connections
- pid temperature control
- simple heads-up display
- heads-up shot timer
- easy group access for maintenance
- heated brew group
- La Marzocco portafilters
- chromed tap

SPECS	TAP	MOD 2 GR	MOD 1 GR
Dimensions	5.5 x 12.5 x 14 in 14 x 32 x 36 cm	16 x 15 x 8.5 in 41 x 38 x 22 cm	16 x 15 x 8.5 in 41 x 38 x 22 cm
Weight	23 lbs 10.5 kg	40 lbs 18 kg	36.5 lbs 16,5 kg
Capacity		2.8 l dual boiler	1.4 l
ELECTRICAL	MOD 2 GR (CE)	MOD 2 GR (ETL)	MOD 1 GR
Voltage	220 - 240V	220 - 240V	220 - 240V
Amps	14A max ¹	14.2A max ¹	7A / 14A
Element Wattage	3227W max ¹	3264W max ¹	1520W
Frequency	50/60Hz	50/60Hz	50/60Hz
Phase	single	single	single
Certifications	CE	ETL ²	ETL ² , CE, NSF

modbar

STEAM SYSTEM

More than just a steam station, Modbar Steam delivers a minimal, modern aesthetic coupled with power and control. Give your customers a full view of their drink being prepared, from espresso pull to rosetta.



STEAM SYSTEM



Recreate a traditional espresso machine with two Steam taps next to your Modbar Espresso, or set up distinct service areas to suit your workflow. Cafes can add a Steam tap or two to boost throughput, rather than purchasing a second full espresso machine.

SPECIFICATIONS

- double wall pro touch wand
- chromed tap
- ergonomic handle designed to match Espresso AV
- custom handle finishes walnut (standard) or maple
- omnidirectional ball fitting
- minimal purge required with no steam valve rebuilds
- linea-style porthole boiler sight glass
- simple on/off switch controlled by solenoid in the module
- right-hand side connections for easy service access

SPECS	TAP	MOD
Dimensions	9 x 32 x 34 cm	41 x 36 x 22 cm
Weight	3.5 kg	18 kg
Capacity		steam boiler: 4.6 l
ELECTRICAL	208V - 240V	
Amps	14.4A (ETL) / 13A (CE)	
Element Wattage	3310W (ETL) / 2705W (CE)	
Frequency	50/60Hz	
Phase	single	
Certifications	ETL ¹ , CE	



Mobile number: +966 53 885 9093

Website: www.rfa-sa.com

Online shop: <https://shop.rfa-sa.com/>

Email: customer-service@rfa-sa.com

Location: Al Thumama, Riyadh, Saudi Arabia

