



GRINDERS

SANREMO

# SR 83 OD PRO



## Specification



- 83 mm Burr size
- Fast grinding 1 shot = 1 second only
- Burr mechanical lock
- Multi-disassembler
- The tank has a capacity of one and a half kilos
- Rotation speed 1550 rpm
- Red speed burrs that increase grinding precision and life of the burrs by five times and reduce friction
- Daily, weekly and total counter

Easy and fast burr removal and cleaning without the need to calibrate the grinder again

## Technical data

power	W	650
burrs	-	flat
burrs diameter	mm	83
motor speed 50 Hz	rpm	1350
motor speed 60 Hz	rpm	1550
coffee beans hopper capacity	kg	1.5
net weight	kg	20
width	mm	230
height	mm	679
dept	mm	270

Colors	
	Black
	White



**"RED SPEED" BURRS**  
Improves the quality of grinding and offers a much longer life span. (PVD-coated)

# SR 64 OD PRO



## Specification





- 64mm Burr size
- Fast grinding 1 shot = 2 seconds only
- Burr mechanical lock
- Multi-disassembler
- The tank has a capacity of one and a half kilos
- Rotation speed 1550 rpm
- Dose programming
- Automatic grinding
- Cooling fan
- Flat steel Burr

Easy and fast burr removal and cleaning without the need to calibrate the grinder again

## Technical data

power	W	350
burrs	-	flat
burrs diameter	mm	64
motor speed 50 Hz	rpm	1350
motor speed 60 Hz	rpm	1550
coffee beans hopper capacity	kg	1.5
net weight	kg	14
width	mm	230
height	mm	615
dept	mm	270

Colors

-  Black
-  White

All content are subject to illustrative purpose. The manufacturer reserves the right to modify without prior notice the technical characteristics, contents, and images indicated above

Last Update 2023-5-14

## REACH US

M: +966 53 885 9093

U: 920035079

E: customer-service@rfa-sa.com

W: www.rfa-sa.com, www.sanremosaudi Arabia.com

L: North Obhur, Jeddah, Saudi Arabia

